



district



district



district



Rettificato. Rectified. Rectifié. Rektifiziert. Ректифицированный.

Superfici	Nat	Lap
Surfaces Surfaces Oberflächen Поверхность	Superficie naturale Natural surface Surface naturelle Matt Oberfläche Натуральный поверхность	Superficie lappata Semi-polished surface Surface lappato Halbpoliert Oberfläche Полуполированный поверхность



district
BIANCO





saime
district

45x90 . 18"x36" Bianco Nat. Rett.

district
GRIGIO





saimē
district

45x90 . 18"x36" Grigio Nat. Rett.



district
TORTORA





saimē
district

45x90 . 18"x36" Tortora Nat. Rett.



district
BEIGE





saime
district

45x90 . 18"x36" Beige Nat. Rett.




district
NERO





saimē
district

45x90 . 18"x36" Nero Nat. Rett.



TECHNICAL SECTION

Superfici	Nat	Lap
Surfaces Surfaces Oberflächen Поверхность	Superficie naturale Natural surface Surface naturelle Matt Oberfläche Натуральный поверхность	Superficie lappata Semi-polished surface Surface lappato Halbpoliert Oberfläche Полуполированный поверхность

Gres porcellanato con colorazione in massa.
Porcelain stoneware with mass colouring.
Grès cérame avec pate colorée.
Durchgefärbtes Feinsteinzeug.
Фарфоровый керамогранит, окрашенный по всей толщине.

BIANCO



BEIGE





TORTORA



GRIGIO



NERO



45x90 - 18"x36"

7665895 Nat. Rett. 99 ●
7665945 Lap. Rett. 108 ●



45x90 - 18"x36"

7665865 Nat. Rett. 99 ●
7665915 Lap. Rett. 108 ●



45x90 - 18"x36"

7665875 Nat. Rett. 99 ●
7665925 Lap. Rett. 108 ●




45x90 - 18"x36"

7665885 Nat. Rett. 99 ●
7665935 Lap. Rett. 108 ●




45x90 - 18"x36"

7665905 Nat. Rett. 99 ●
7665955 Lap. Rett. 108 ●




59,5x59,5 - 24"x24"

7688905 Nat. Rett. 86 ●
7688955 Lap. Rett. 97 ●




59,5x59,5 - 24"x24"

7688895 Nat. Rett. 86 ●
7688945 Lap. Rett. 97 ●




59,5x59,5 - 24"x24"

7688935 Nat. Rett. 86 ●
7688985 Lap. Rett. 97 ●




59,5x59,5 - 24"x24"

7688915 Nat. Rett. 86 ●
7688965 Lap. Rett. 97 ●




59,5x59,5 - 24"x24"

7688925 Nat. Rett. 86 ●
7688975 Lap. Rett. 97 ●




29,7x59,5 - 12"x24"

7689005 Nat. Rett. 89 ●
7689055 Lap. Rett. 97 ●




29,7x59,5 - 12"x24"

7688995 Nat. Rett. 89 ●
7689045 Lap. Rett. 97 ●




29,7x59,5 - 12"x24"

7689035 Nat. Rett. 89 ●
7689085 Lap. Rett. 97 ●




29,7x59,5 - 12"x24"

7689015 Nat. Rett. 89 ●
7689065 Lap. Rett. 97 ●




29,7x59,5 - 12"x24"

7689025 Nat. Rett. 89 ●
7689075 Lap. Rett. 97 ●




29,7x29,7
12"x12"

7689105 Nat. Rett. 89 ●
7689195 Lap. Rett. 97 ●



29,7x29,7
12"x12"

7689095 Nat. Rett. 89 ●
7689185 Lap. Rett. 97 ●




29,7x29,7
12"x12"

7689155 Nat. Rett. 89 ●
7689225 Lap. Rett. 97 ●



29,7x29,7
12"x12"

7689125 Nat. Rett. 89 ●
7689105 Lap. Rett. 97 ●



29,7x29,7
12"x12"


7689145 Nat. Rett. 89 ●
7689215 Lap. Rett. 97 ●

Gres porcellanato con colorazione in massa.
 Porcelain stoneware with mass colouring.
 Grès cérame avec pate colorée.
 Durchgefärbtes Feinsteinzeug.
 Фарфоровый керамогранит, окрашенный по всей толщине.

Decor. Decors. Decorations. Dekore. Декор.

Pezzi speciali. Trims. Pieces spéciales. Formstücke. Специальные изделия.

MOSAICO 5x5 2"x2" 124 ●
 30x30 12"x12"




7689245 Bianco Nat.




7689235 Beige Nat.




7690305 Tortora Nat.



7689255 Grigio Nat.



7689265 Nero Nat.




Battiscopa Naturale Rett. 34 ▲
 7,5x59,5 . 3"x24"

7688906 Bianco Nat. Rett.
 7688896 Beige Nat. Rett.
 7688936 Tortora Nat. Rett.
 7688916 Grigio Nat. Rett.
 7688826 Nero Nat. Rett.




Battiscopa Lappato Rett. 34 ▲
 7,5x59,5 . 3"x24"

7688956 Bianco Lap. Rett.
 7688946 Beige Lap. Rett.
 7688986 Tortora Lap. Rett.
 7688966 Grigio Lap. Rett.
 7688976 Nero Lap. Rett.




Gradino Step Naturale Rett. 48 ▲
 29,7x59,5 . 12"x24"

7688907 Bianco Nat. Rett.
 7688897 Beige Nat. Rett.
 7688837 Tortora Nat. Rett.
 7688917 Grigio Nat. Rett.
 7688927 Nero Nat. Rett.




Gradino Step Lappato Rett. 53 ▲
 29,7x59,5 . 12"x24"

7688957 Bianco Lap. Rett.
 7688947 Beige Lap. Rett.
 7688987 Tortora Lap. Rett.
 7688967 Grigio Lap. Rett.
 7688977 Nero Lap. Rett.




Angolare CR SX Rett. 130 ▲
 33,3x59,5x3,2x3,2 . 13"x24"x1,2"x1,2"

7688910 Bianco Nat. Rett.
 7688900 Beige Nat. Rett.
 7688940 Tortora Nat. Rett.
 7688920 Grigio Nat. Rett.
 7688930 Nero Nat. Rett.



Gradone CR Rett. 119 ▲
 33,3x59,5x3,2x3,2 . 13"x24"x1,2"x1,2"







7688908 Bianco Nat. Rett.
 7688898 Beige Nat. Rett.
 7688938 Tortora Nat. Rett.
 7688918 Grigio Nat. Rett.
 7688828 Nero Nat. Rett.



Angolare CR DX Rett. 130 ▲
 33,3x59,5x3,2x3,2 . 13"x24"x1,2"x1,2"

7688909 Bianco Nat. Rett.
 7688899 Beige Nat. Rett.
 7688939 Tortora Nat. Rett.
 7688919 Grigio Nat. Rett.
 7688929 Nero Nat. Rett.


Imballi. Packing. Emballages. Verpackung. Упаковка.

	 mm	 PCS / BOX	 M2 / BOX	 BOX / PLT	 M2 / PLT	 KG / PLT
45x90 Rett.	10	3	1,215	27	32,81	756
59,5x59,5 Rett.	10	3	1,062	40	42,48	960
29,7x59,5 Rett.	10	7	1,24	36	44,64	972
29,7x29,7 Rett.	10	11	0,97	46	44,62	1012
30x30 Mosaico 5x5	10	11	1,00	-	-	-
Pezzi speciali						
7,5x59,5 Battiscopa Rett.	-	14	8,33 ml	-	-	-
29,7x59,5 Gradino Step Rett.	-	7	4,16 ml	-	-	-
33,3x59,5x3,2x3,2 Gradone CR Rett.	-	4	2,38 ml	-	-	-
33,3x59,5x3,2x3,2 Angolare CR Rett.	-	2	-	-	-	-


Posa consigliata.

Recommendend installation. Installation recommandée. Installation empfohlen. Установка рекомендуется.

1/2 NO - NO - NON - NEIN - HET



1/4 SI - YES - OUI - JA - ДА



















Fuga minima consigliata.

Advised minimum joint. Joint minimal conseillé. Empfohlte fugе. Минимальный рекомендованный шов между плитками.



FUGA 2 mm
PER RETTIFICATO

GM	GRES PORCELLANATO CON COLORAZIONE IN MASSA		GRUPPO DI APPARTENENZA SECONDO ISO 13006		CE Bla GL
	PORCELAINED STONWARE WITH MASS COLOURING GRES CERAME AVEC PATE COLOREE DURCHGEFÄRBTES FEINSTEINZEUG GRES PORCELÁNICO CON COLORACIÓN EN MASA ФАРФОРОВЫЙ КЕРАМОГРАНИТ, ОКРАШЕННЫЙ ПО ВСЕЙ ТОЛЩИНЕ		CLASS GROUPE D'APPARTENANCE ZUGEHÖRIGKEITSGRUPPE GRUPO DE PERTENENCIA ГРУППА ПРИНАДЛЕЖНОСТИ		
Simbologia Symbolics Symboles Symbole Simbologias Символы	Caratteristiche Features Caracteristiques Eigenschaften Características Характеристика	Unità di misura Unit of measurement Unité de mesure Masseinheit Unidad de medida Единица измерения	Valore medio Saime Saime mean value Valeur moyenne Saime Durchschnittswert-Saime Valor medio Saime Среднее значение Saime	Valore prescritto Fixed value Valeur prescrite Vorgeschriebener Wert Valor prescrito Требуемое значение	Metodo di prova Test method Méthode d'essai Prüfmethode Método de ensayo Метод испытания
	Dimensione lati Dimensions-Lenght and width Dimensions-Longueur et largeur Masse-Länge und Breite Dimensiones-Longitud y ancho Размеры сторон	%	+/- 0.4	+/- 0.6 max	UNI EN ISO 10545-2
	Rettilineità dei lati Side straightness Rectitude des arêtes Geradlinigkeit der Kanten Rectilindad de los lados Прямолинейность сторон	%	+/- 0.4	+/- 0.5 max	UNI EN ISO 10545-2
	Ortogonalità degli spigoli Corner squaranness Angularité Rechtwinkligkeit der Kanten Ortogonalidad de las esquinas Ортогональность кромок	%	+/- 0.4	+/- 0.6 max	UNI EN ISO 10545-2
	Planarità Flatness Planéité Ebenfächigkeit Planeidad Плоскостность	%	+/- 0.4	+/- 0.5 max	UNI EN ISO 10545-2
	Spessore Thickness Epaisseur Dicke Grosor Толщина	%	+/- 5.0	+/- 5.0 max	UNI EN ISO 10545-2
	Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme Absorción de agua Водопоглощение	%	< 0.2	≤ 0.5	UNI EN ISO 10545-3
	Sforzo di rottura Breaking strenght Contrainte de rupture Bruchkraft Esfuerzo de rotura Разрушающее усилие	N	> 1600	≥ 1300 se Spess. ≥ 7,5 ≥ 700 se Spess. ≤ 7,5	UNI EN ISO 10545-4
	Modulo di rottura Modulus of rupture Coefficient de rupture Bruchmodul Módulo de rotura Модуль разрыва	N/mm ²	> 40	≥ 35	UNI EN ISO 10545-4
	Dilatazione termica lineare Coeff. of linear thermal expansion Coeff. d'extension thermique linéaire Linearer Wärmeausdehnungs-Koeffizient Coeficiente de dilatación térmica lineal Линейное тепловое расширение	°MK (-1)	7.0	metodo disponibile available method méthode disponible verfügbare methode método disponible требуемое значение	UNI EN ISO 10545-8
	Resistenza agli sbalzi termici Thermal shock resistiance Résistance aux chocs termiques Temperaturwechsel Beständigkeit Resistencia a choques térmico Стойкость к перепадам температуры	-	resiste resist widerstandsfähig resiste стойкий	metodo disponibile available method méthode disponible verfügbare methode método disponible требуемое значение	UNI EN ISO 10545-9
	Resistenza alle macchie Stain resistance Résistance au tâches Flecken Beständigkeit Resistencia a las manchas Стойкость к образованию пятен	-	≥ 3	3 MIN	UNI EN ISO 10545-14
	Resistenza ai prodotti chimici di uso domestico Resistance to chemical products Résistance aux produits chimiques Beständigkeit gegen Chemikalien Resistencia a los productos quimicos Стойкость к бытовым химикатам	-	conforme conform conforme gleichmässig conforme соответствует	MIN GB	UNI EN ISO 10545-13
	Resistenza agli acidi e alle basi a bassa concentrazione Resistant to acids and low concentration bases Résistance aux acides et aux bases à faible concentration Widerstandsfähig gegenüber niedrig konzentrierten Säuren und Laugen Resistencia a los ácidos y las bases de baja concentración Стойкость к низким концентрациям кислот и щелочей	-	MIN GLB	secondo classificazione prodotto according to product classification selon classification produit Gemäß Produktklassifizierung согласно классификации продукции	UNI EN ISO 10545-13
	Resistenza al gelo Frost resistance Résistance au gel Frostbeständigkeit Resistencia al hielo Морозостойкость	-	resiste resist widerstandsfähig resiste стойкий	richiesta request demande anfrage solicitud требуемое значение	UNI EN ISO 10545-12
	Stabilità dei colori Colour stability Stabilité des coloris Lichtechtheit der Färbung Estabilidad de los colores Цветостойкость	-	stabile stable stabil estable стойкий	metodo disponibile available method méthode disponible verfügbare methode método disponible требуемое значение	DIN 51094
	E' a disposizione della gentile clientela la lista dei nostri articoli certificati dall'ente UNI CERTIQUALITY The list of our items certified by "UNI" is available for our customers Pour tous nos clients est disponible la liste de nos produits avec la certification UNI Den Kunden steht eine Aufstellung zur Verfügung der Artikel die mit UNI Zertifikat bescheinigt wurden La lista de nuestros artículos certificados por el Instituto UNI está a disposición de la estimada clientela. Мы можем предоставить в распоряжении наших заказчиков перечень нашей продукции, сертифицированной органом UNI				



LA COSTANTE RICERCA TECNOLOGICA SI RISERVA DI APPORTARE SOLUZIONI MIGLIORATIVE RISPETTO A QUANTO PROPOSTO NEL CATALOGO.

I colori riprodotti nel presente catalogo sono soggetti alle tolleranze previste dalla stampa.

IN VIEW OF CONSTANT TECHNOLOGICAL RESEARCH, WE RESERVE THE RIGHT TO PROVIDE IMPROVED SOLUTIONS COMPARED TO THOSE PROPOSED IN THE CATALOGUE.

Colours showed on this catalogue are subject to tolerances due to printing.

LA RECHERCHE TECHNOLOGIQUE CONSTANTE SE RESERVE D'APPORTER DES AMELIORATIONS PAR RAPPORT AUX SOLUTIONS PROPOSEES DANS LE CATALOGUE.

Les coloris reproduits dans ce catalogue sont sujets aux tolérances prévues pour l'impression.

AUF GRUND DER STÄNDIGEN TECHNOLOGISCHEN FORSCHUNG BEHALTEN WIR UNS VOR, VERBESSERUNGEN AN DEN IM KATALOG ANGEBOTENEN LÖSUNGEN VORZUNEHMEN.

Die in diesem Katalog wiedergegebenen Farben sind den für den Druck vorgesehenen Schwankungen unterworfen.

В СВЯЗИ С ПОСТОЯННЫМИ ТЕХНОЛОГИЧЕСКИМИ ИССЛЕДОВАНИЯМИ ФИРМА ОСТАВЛЯЕТ ЗА СОБОЙ ПРАВО НА УСОВЕРШЕНСТВОВАНИЕ РЕШЕНИЙ, ПРЕДЛАГАЕМЫХ В КАТАЛОГЕ.

Цвета, воспроизведенные в настоящем каталоге, имеют предусмотренные для печати допуски.

district



SAIME CERAMICHE

Via Abetone Inferiore, 24
41053 Maranello MO Italy
LAT: 44.5409960 (44° 32' 27.586")
LNG: 10.8615504 (10° 51' 41.581")
Tel. +39 0536 869611
Fax +39 0536 843823
+39 0536 830313
+39 0536 832533
+39 0536 869681

saime@riwal.it

www.saimeceramiche.com



Sede legale e amministrativa:
NUOVA RIWAL CERAMICHE s.r.l.
Via Ghiarola Nuova, 101
41042 Fiorano Modenese MO Italy
Tel. +39 0536 869411
Fax +39 0536 837321
info@riwal.it
www.riwal.it




Ceramics of Italy